


# **HOSCH SPRUNG BLADE SCRAPERS**



TYPE **C4**

# HOSCH Sprung Blade Scraper Type C4

The **HOSCH Type C4** is a robust scraper system designed for installations on wide conveyor belts, operating at high speeds. The individual self-adjusting modules align to the profile of the belt which guarantees maximum cleaning efficiency.

**HOSCH** has developed the Sprung Blade Scraper **Type C4** for extreme operating conditions.

- A robust scraper system designed for extreme conditions regarding belt width, belt speed and material.
- The self-adjusting cleaning modules align to the profile of the belt which guarantees maximum cleaning efficiency.
- Optimized cleaning performance by improved handling of scraper adjustment.
- Tungsten carbide tipped blades for long life.
- Minimum service required.
- Flexible scraper design for easy installation.

## HOSCH Services

**HOSCH** is a worldwide company and provides the following technical support.

- Technical analysis of your conveyor belt systems.
- Selection of suitable belt cleaning and belt tracking systems.
- OEM support and CAD supported installation drawings.
- Installation, maintenance and service of **HOSCH systems**.
- Technical support by follow up belt plans and service statistics.
- Spare parts management.
- Calculations of economic efficiency and profitability.

## Characteristics of the HOSCH Sprung Blade Scraper Type C4



- Belt widths                    1,400 mm up to 2,000 mm (**C4L**)  
   2,200 mm up to 3,200 mm (**C4H**)
- Belt speeds                      Up to 7.5 m/s
- Belt types                        For multi-ply nylon and steel-cord belts with vulcanized splicing.
- Reverse operation            Yes, with optional disengaging device
- Installation position        On the return string of the conveyor belt.
- Cleaning modules            The **HOSCH** sprung modules are self-adjusting and automatically align to the profile of the belt.
- Design                            Modular scraper design, individual set-up that is suitable for most conveyor applications.
- Directions for use            For further technical information, please refer to additional documentation. Installation and operation manuals, dimension sheets, optional accessories and parts lists are available.  
Different operating conditions must be approved by **HOSCH**.

## HOSCH Headquarters

### HOSCH-Fördertechnik GmbH

Am Stadion 36, 45659 Recklinghausen, Germany  
Tel: +49 2361 5898-0, Fax: +49 2361 589840  
e-mail: mail@hosch.de, web: www.hosch.de

## The HOSCH Group

### HOSCH International Pty Ltd.

Perth, Australia  
e-mail: mail@hosch.com.au

### HOSCH Austria GmbH

Techelsberg am Wörther See, Austria  
e-mail: office@hosch-austria.at

### HOSCH do Brasil Ltda.

Belo Horizonte, Brazil  
e-mail: hosch@hosch.com.br

### HOSCH France S.A.R.L.

Réau, France  
e-mail: info@hosch.fr

### HOSCH (G.B.) Ltd.

Thornaby, Great Britain  
e-mail: mail@hosch.co.uk

### HOSCH Hellas Monoprosopi E.P.E.

Thessaloniki, Greece  
e-mail: hosch@otenet.gr

### HOSCH Equipment (India) PVT Ltd.

Calcutta, India  
e-mail: hosch@cal.vsnl.net.in

### HOSCH Italia S.R.L.

Pontecagnano, Italy  
e-mail: mail@hosch.it

### HOSCH Techniki Transportowe Polska Sp. z o.o.

Wrocław, Poland  
e-mail: hosch@hosch.pl

### HOSCH Fördertechnik (SA) (Pty) Ltd.

Johannesburg, South Africa  
e-mail: sales@hoschsa.co.za

### HOSCH Iberia S.R.L.U.

Barcelona, Spain  
e-mail: hosch@hosch.es

### HOSCH Schweiz GmbH

Rotkreuz, Switzerland  
e-mail: mail@hosch.de

### HOSCH COMPANY

Pittsburgh, USA  
e-mail: hosch@hoschusa.com



©2010 HOSCH-Fördertechnik GmbH

No part of this publication may be reproduced, transmitted, transcribed, stored in any retrieval system or translated into any human or computer language by any means or in any form, without the prior written permission of HOSCH-Fördertechnik GmbH. Contravention of the owner's copyright may also reduce the ability of HOSCH-Fördertechnik GmbH to provide effective support for its equipment.

HOSCH-Fördertechnik GmbH reserves the right to make changes without notice to both this document and to its products described within this document. Nothing in this publication represents any contractual or other commitment on the part of HOSCH-Fördertechnik GmbH and should not be taken as such. All possible care has been taken in the preparation of this publication.

However, if you find any errors or would like to make suggestions for improvement then write to HOSCH-Fördertechnik GmbH.