

NEW

**ELECTRIC GREASE PUMPS
"MEC-GREASE"**



ELECTRIC GREASE PUMPS Mod. AC230V "Mec-Grease"

MAX PRESSURE = 320bar

DELIVERY = 275 g/min



Art.010-2020-230

Electric grease pump Mod. AC230V

For standard drums 18-30 kg

(shank length 480 mm)

Polyurethane seals

Art.010-2050-230

Electric grease pump Mod. AC230V

For standard drums 50-60 kg

(shank length 750 mm)

Polyurethane seals


Art.010-2200-230

Electric grease pump Mod. AC230V

For standard drums 180-220 kg

(shank length 950 mm)

Polyurethane seals



010-2200-230

Technical data		010-2020-230	010-2050-230	010-2200-230
Voltage	V./HZ	230/50	230/50	230/50
Electricity	A	12	12	12
Max pressure	bar	320	320	320
Grease outlet connection	BSP	F 1/4" G	F 1/4" G	F 1/4" G
Grease delivery capacity	g/min	275	275	275
Shank diameter	mm	30	30	30
Shank length	mm	480	750	950
For drums with capacity of	kg	18-30	50-60	180-220



010-2020-230	15,600	0,045	1
010-2050-230	16,300	0,056	1
010-2200-230	17,300	0,067	1

These pumps are suitable for the supply at high pressure of greases with viscosity up to NLGI 2 at short and long distances. The working pressure of the grease pumps here is 320 bar with a flow rate of 275 g/min.



ELECTRIC GREASE PUMPS Mod. DC12V "Mec-Grease"

MAX PRESSURE = 360bar

DELIVERY = 750 g/min



Art.010-2020-012

Electric grease pump Mod. DC12V

For standard drums 18-30 kg

(shank length 480 mm)

Polyurethane seals

Art.010-2050-012

Electric grease pump Mod. DC12V

For standard drums 50-60 kg

(shank length 750 mm)

Polyurethane seals


Art.010-2200-012

Electric grease pump Mod. DC12V

For standard drums 180-220 kg

(shank length 950 mm)

Polyurethane seals



Model	Weight (KG)	Volume (m³)	Quantity
010-2020-012	12,300	0,045	1
010-2050-012	13,300	0,056	1
010-2200-012	14,000	0,067	1

Technical data		010-2020-012	010-2050-012	010-2200-012
Voltage	Volt	12	12	12
Electricity	A	25	25	25
Max pressure	bar	360	360	360
Grease outlet connection	BSP	F 1/4" G	F 1/4" G	F 1/4" G
Grease delivery capacity	g/min	750	750	750
Shank diameter	mm	30	30	30
Shank length	mm	480	750	950
For drums with capacity of	kg	18-30	50-60	180-220

These pumps are suitable for the supply at high pressure of greases with viscosity up to NLGI 2 at short and long distances. The working pressure of the grease pumps here is 360 bar with a flow rate of 750 g/min.



ELECTRIC GREASE PUMPS Mod. DC24V "Mec-Grease"

MAX PRESSURE = 360bar

DELIVERY = 750 g/min



Art.010-2020-024

Electric grease pump Mod. DC24V

For standard drums 18-30 kg

(shank length 480 mm)

Polyurethane seals

Art.010-2050-024

Electric grease pump Mod. DC24V

For standard drums 50-60 kg

(shank length 750 mm)

Polyurethane seals


Art.010-2200-024

Electric grease pump Mod. DC24V

For standard drums 180-220 kg

(shank length 950 mm)

Polyurethane seals



Art. No.	Weight (KG)	Volume (m³)	Volume (cm³)
010-2020-024	12,300	0,045	1
010-2050-024	13,300	0,056	1
010-2200-024	14,000	0,067	1

Technical data		010-2020-012	010-2050-012	010-2200-012
Voltage	Volt	24	24	24
Electricity	A	15	15	15
Max pressure	bar	360	360	360
Grease outlet connection	BSP	F 1/4" G	F 1/4" G	F 1/4" G
Grease delivery capacity	g/min	750	750	750
Shank diameter	mm	30	30	30
Shank length	mm	480	750	950
For drums with capacity of	kg	18-30	50-60	180-220

These pumps are suitable for the supply at high pressure of greases with viscosity up to NLGI 2 at short and long distances. The working pressure of the grease pumps here is 360 bar with a flow rate of 750 g/min.



ELECTRIC GREASE PUMPS KITS Mod. AC230V FOR DRUMS 18-220 KG



013-2020-230

Art.013-2020-230

Electric grease pump kit for drums 18–30 Kg

Composed by:

Art.010-2020-230 Electric grease pump Mod. AC230V

Art.014-1051-030 Lid \varnothing 320 mm

Art.014-1062-030 Follower plate \varnothing 310 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2050-230

Art.013-2050-230

Electric grease pump kit for drums 50–60 Kg

Composed by:

Art.010-2050-230 Electric grease pump Mod. AC230V

Art.014-1053-030 Lid \varnothing 395 mm

Art.014-1064-030 Follower plate \varnothing 375 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2200-230

Art.013-2200-230

Electric grease pump kit for drums 180–220 Kg

Composed by:

Art.010-2200-230 Electric grease pump Mod. AC230V

Art.014-1056-030 Lid \varnothing 600 mm

Art.014-1066-030 Follower plate \varnothing 590 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2020-230	21,100	0,076	1
013-2050-230	24,000	0,110	1
013-2200-230	29,300	0,132	1



ELECTRIC GREASE PUMPS KITS Mod. DC12V FOR DRUMS 18-220 KG



013-2020-012

Art.013-2020-012

Electric grease pump kit for drums 18–30 Kg

Composed by:

Art.010-2020-012 Electric grease pump Mod. DC12V

Art.014-1051-030 Lid \varnothing 320 mm

Art.014-1062-030 Follower plate \varnothing 310 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2050-012

Art.013-2050-012

Electric grease pump kit for drums 50–60 Kg

Composed by:

Art.010-2050-012 Electric grease pump Mod. DC12V

Art.014-1053-030 Lid \varnothing 395 mm

Art.014-1064-030 Follower plate \varnothing 375 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2200-012

Art.013-2200-012

Electric grease pump kit for drums 180–220 Kg

Composed by:

Art.010-2200-012 Electric grease pump Mod. DC12V

Art.014-1056-030 Lid \varnothing 600 mm

Art.014-1066-030 Follower plate \varnothing 590 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2020-012	17,800	0,076	1
013-2050-012	20,700	0,110	1
013-2200-012	26,000	0,132	1



ELECTRIC GREASE PUMPS KITS Mod. DC24V FOR DRUMS 18-220 KG



013-2020-024

Art.013-2020-024

Electric grease pump kit for drums 18–30 Kg

Composed by:

Art.010-2020-024 Electric grease pump Mod. DC24V

Art.014-1051-030 Lid \varnothing 320 mm

Art.014-1062-030 Follower plate \varnothing 310 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2050-024

Art.013-2050-024

Electric grease pump kit for drums 50–60 Kg

Composed by:

Art.010-2050-024 Electric grease pump Mod. DC24V

Art.014-1053-030 Lid \varnothing 395 mm

Art.014-1064-030 Follower plate \varnothing 375 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2200-024

Art.013-2200-024

Electric grease pump kit for drums 180–220 Kg

Composed by:

Art.010-2200-024 Electric grease pump Mod. DC24V

Art.014-1056-030 Lid \varnothing 600 mm

Art.014-1066-030 Follower plate \varnothing 590 mm

Art.907-0102-040 2SC 1/4" hose – 4.0 m length

Art.014-1081-010 Grease gun with triple-swivelling joint



013-2020-024	17,800	0,076	1
013-2050-024	20,700	0,110	1
013-2200-024	26,000	0,132	1

BIBUS[®]
SUPPORTING YOUR SUCCESS

BIBUS SK, s.r.o
Trnavská 31, SK-94 901 Nitra

Tel.: 037/ 7777 911 Email: sale@bibus.sk
Fax.: 037/ 7777 999 <http://www.bibus.sk>



MECLUBE srl

Strada Pavesa, 13 - Loc. Bondeno
46023 - Gonzaga (MN) - ITALIA
Tel. +39 0376 595006 - +39 0376 595035
Fax +39 0376 54144
info@meclube.com

www.meclube.com