

Appendix

Product Group Index

Alphabetical Index

General Information

STAUFF Clamps

Product Description	Code	Page	Product Description	Code	Page
Clamp Body (Standard Series, Size 1)	1***	A6	Clamp Body (Light Series, Type LNUF) - Twin Design	LNUF	A65
Clamp Body (Twin Series, Size 1D)	1***/**	A40	Clamp Body for Multi-Group Weld Plate (Standard Series)	MGR	A13
Clamp Body (Standard Series, Size 1a)	1***a	A6	Group Weld Plate (Standard Series)	RAP	A11
Clamp Body (Heavy Series, Size 10S)	10***	A24	Group Weld Plate (Twin Series)	RAP	A41
Clamp Body (Heavy Series, Size 11S)	11***	A24	Multi-Group Weld Plate (Standard Series)	RAP-MGR	A13
Clamp Body (Heavy Series, Size 12S)	12***	A24	Round Steel U-Bolt with Plastic Pipe Saddle (Short)	RB / RUK	A70
Clamp Body (Standard Series, Size 2)	2***	A6	Round Steel U-Bolt with Plastic Pipe Saddle (Long)	RB / RUL	A72
Clamp Body (Twin Series, Size 2D)	2***/**	A40	Round Steel U-Bolt without Plastic Pipe Saddle	RBD	A74
Clamp Body (Standard Series, Size 3)	3***	A6	Channel Rail	SCS	A83
Clamp Body (Twin Series, Size 3D)	3***/**	A40	Safety Washer (Standard Series)	SI (DIN 463)	A17
Clamp Body (Heavy Series, Size 3S)	30***	A24	Safety Washer (Standard Series)	SI (DIN 93)	A17
Clamp Body (Standard Series, Size 4)	4***	A6	Safety Washer (Heavy Series)	SI (DIN 463)	A34
Clamp Body (Twin Series, Size 4D)	4***/**	A40	Safety Washer (Heavy Series)	SI (DIN 93)	A34
Clamp Body (Heavy Series, Size 4S)	40***	A24	Safety Locking Plate (Twin Series)	SI	A46
Clamp Body (Standard Series, Size 5)	5***	A6	Safety Locking Plate (Standard Series)	SIG	A19
Clamp Body (Twin Series, Size 5D)	5***/**	A40	Safety Locking Plate (Heavy Series)	SIP	A35
Clamp Body (Heavy Series, Size 5S)	50***	A24	Safety Locking Plate (Heavy Twin Series)	SIPD	A52
Clamp Body (Standard Series, Size 6)	6***	A6	Safety Locking Plate (Twin Series)	SIV	A46
Clamp Body (Heavy Series, Size 6S)	60***	A24	Hexagon Rail Nut (Standard Series)	SM	A14
Clamp Body (Standard Series, Size 7)	7***	A6	Hexagon Rail Nut (Twin Series)	SM	A42
Clamp Body (Heavy Series, Size 7S)	70***	A24	Hexagon Rail Nut (Standard Series)	SMG	A14
Clamp Body (Standard Series, Size 8)	8***	A6	Hexagon Rail Nut (Twin Series)	SMG	A42
Clamp Body (Heavy Series, Size 8S)	80***	A24	Weld Plate (Standard Series)	SP	A10
Clamp Body (Heavy Series, Size 9S)	90***	A24	Single Weld Plate (Twin Series)	SP	A41
Stacking Bolt (Standard Series)	AF	A19	Single Weld Plate (Compact Twin Series)	SP DS1	A54
Stacking Bolt (Heavy Series)	AF	A35	Weld Plate (Heavy Twin Series)	SPAD	A51
Stacking Bolt (Twin Series)	AF	A47	Weld Plate for Single Clamps (Heavy Series)	SPAL	A28
Stacking Bolt (Heavy Twin Series)	AF	A52	Elongated Weld Plate for Single Clamps (Heavy Series)	SPAL/DUEB	A29
Hexagon Head Bolt (Standard Series)	AS	A16	Weld Plate for Double Clamps (Heavy Series)	SPAS	A28
Hexagon Head Bolt (Heavy Series)	AS	A33	Elongated Weld Plate for Double Clamps (Heavy Series)	SPAS/DUEB	A29
Hexagon Head Bolt (Twin Series)	AS	A44	Cushion Clamp Series	SPC	A82
Hexagon Head Bolt (Heavy Twin Series)	AS	A52	Elongated Weld Plate (Standard Series)	SPV	A10
Hexagon Head Bolt (Light Series, Type LBBU)	AS	A61	Cushion Clamp Series	STC	A82
Hexagon Head Bolt (Compact Twin Series)	AS DS1	A54	Mounting Rail (Heavy Series)	STSV	A30
Hexagon Head Bolt (Standard Series)	ASE	A18	Mounting Rail (Heavy Twin Series)	STSV	A52
Bridge Weld Plate (Standard Series)	BSP	A12	Mounting Rail (Standard Series)	TS	A14
Channel Rail Adaptor (Standard Series)	CRA	A15	Mounting Rail (Twin Series)	TS	A42
Channel Rail Adaptor (Heavy Series)	CRA	A31	Cover Plate (Compact Twin Series)	US DS1	A54
Channel Rail Adaptor (Twin Series)	CRA	A43	Angled Weld Plate (Standard Series)	WSP	A12
Channel Rail Adaptor (Heavy Twin Series)	CRA	A52	Clamps for Cylinder Supply Lines	ZR	A55
Heavy Saddles - Single-Ended Design	DIN 1592	A78			
Heavy Saddles - Double-Ended Design	DIN 1593	A79			
Light Saddles - Single-Ended Design	DIN 1596	A80			
Light Saddles - Double-Ended Design	DIN 1597	A81			
Metal Pipe Clamp with Rounded Ends	DIN 3567	A76			
Construction Series	DKS	A66			
Construction Series (for Anchor Bolt Fastening)	DKSV	A67			
Cover Plate (Standard Series)	DP	A16			
Cover Plate (Heavy Twin Series)	DPAD	A51			
Cover Plate for Single Clamps (Heavy Series)	DPAL	A32			
Cover Plate for Double Clamps (Heavy Series)	DPAS	A32			
Cover Plate (Light Series, Type LNGF/LNUF) - Twin Design	DPL	A65			
Twin Weld Plate (Standard Series)	DSP	A11			
Insert (Standard Series)	EP	A18			
Insert (Standard Series)	ES	A18			
Flat Steel U-Bolt with Plastic Pipe Saddle (Short) and U-Profile	FB / RUK	A68			
Cover Plate (Twin Series)	GD	A44			
Mounting Rail Nut (Heavy Series)	GMV	A30			
Mounting Rail Nut (Heavy Twin Series)	GMV	A52			
Socket Cap Screw (Standard Series)	IS	A18			
Socket Cap Screw (Heavy Series)	IS	A33			
Socket Cap Screw (Twin Series)	IS	A45			
Socket Cap Screw (Heavy Twin Series)	IS	A52			
Construction Series	KS	A66			
Construction Series (for Anchor Bolt Fastening)	KSV	A67			
Clamp Body (Light Series, Type LB) - Single Design	LB	A62			
Cover Plate (Light Series, Type LBBU)	LBBU-DP	A61			
Sleeve (Light Series, Type LBBU)	LBBU-HUE	A60			
Weld Plate (Light Series, Type LBBU)	LBBU-SP	A60			
Clamp Body (Light Series, Type LBG) - Twin Design	LBG	A63			
Clamp Body (Light Series, Type LBU) - Twin Design	LBU	A63			
Slotted Head Screw (Standard Series)	LI	A18			
Clamp Body (Light Series, Type LN) - Single Design	LN	A64			
Clamp Body (Light Series, Type LNGF) - Twin Design	LNGF	A65			

Product Description	Code	Page
Adjustable Gauge Fitting	EMV	B34
STAUFF Test Screw-type, suitable for test points, Hose End	HE	B38
STAUFF Test Plug in-type, Hose End	HE	B38
Gauge adaptor NPT-thread, 90° elbow, Hose End	HE-A	B39
Sealing head with swivel nut for cone fitting according to DIN EN 560, Hose Ends	HE-B	B41
Male thread for 24° cone fitting according to ISO 8434-1 / DIN 2353, Hose End	HE-C	B41
Universal sealing head with swivel nut for 24° cone fitting according to ISO 8434-1 / DIN 2353, Hose End	HE-D	B41
Sealing head with swivel nut according to SAE J 516, 37° cone, 90° elbow, Hose End	HE-E	B42
Sealing head with swivel nut according to SAE J 516, 45° cone, 90° elbow, Hose End	HE-ER	B42
Male thread NPT according to ANSI Standard, Hose End	HE-F	B40
Male thread according to DIN 3852-B, Hose End	HE-G	B40
Sealing head with swivel nut, 60° cone, Hose End	HE-H	B43
Male thread according to SAE J 514, Hose End	HE-J	B41
Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, Hose End	HE-K	B40
Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, 90° elbow, Hose End	HE-L	B40
Gauge adaptor BSP-thread, Hose End	HE-M	B38
Gauge adaptor NPT-thread, Hose End	HE-N	B39
STAUFF Test Screw-type, 90° elbow, suitable for test points, Hose End	HE-O	B38
STAUFF Test Screw-type, 90° elbow, suitable for test points (short wire version), Hose End	HE-OX	B38
Test hose for air brake systems, Hose End	HE-P	B42
Universal sealing head with swivel nut for 24° cone fitting according to ISO 8434-1 / DIN 2353, 90° elbow, Hose End	HE-Q	B41
Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, 45° elbow, Hose End	HE-R	B40
Hose End with integrated check valve, Hose End	HE-RV	B43
Standpipe for compression ring fittings according to ISO 8434-1 / DIN 2353, Hose End	HE-S	B39
Standpipe for compression ring fittings according to ISO 8434-1 / DIN 2353, 90° elbow, Hose End	HE-SG	B39
Screw-type ORFS according to SAE J 1453, Hose End	HE-T	B43
Sealing head with swivel nut according to SAE J 514, 37° cone, Hose End	HE-U	B42
Sealing head with swivel nut according to SAE J 516, 45° cone, Hose End	HE-UR	B42
Screw-type ORFS according to SAE J 1453, 90° elbow, Hose End	HE-V	B43
Gauge adaptor BSP-thread, 90° elbow, Hose End	HE-W	B39
Adaptor, Series Test 12	SAD12	B27
Adaptor, Series Test 15	SAD15	B21
Adaptor, Series Test 20	SAD20	B11
Welding Adaptor SAS	SAS	B33
Swivel Run Tee	SGV-JIC Type F/M	B9 B20 B26
Sampling Hose Adaptor	SHA	B44
Test Coupling SKK with Port Connection, Series Test 12	SKK12	B23
Test Coupling SKK complete with Straight Fitting, Series Test 12	SKK12 Type G	B24
Test Coupling SKK for 24° Cone Fittings, Series Test 12	SKK12 Type K	B25
Test Coupling SKK with Port Connection, Series Test 20	SKK20	B13
Test Coupling SKK complete with Straight Fitting, Series Test 20	SKK20 Type G	B14
Test Coupling SKK for 24° Cone Fittings, Series Test 20	SKK20 Type K	B15
Gauge Adaptor, Series Test 10	SMA10	B29
Gauge Adaptor, Series Test 12	SMA12	B27
Gauge Adaptor, Series Test 15	SMA15	B21
Gauge Adaptor, Series Test 20	SMA20	B11
Pressure Test Kit	SMB	B35
Direct Gauge Adaptor, Series Test 12	SMD12	B27
Direct Gauge Adaptor, Series Test 15	SMD15	B21
Direct Gauge Adaptor, Series Test 20	SMD20	B11
Test Coupling SMK with Port Connection, Series Test 10	SMK10	B29
Test Coupling SMK complete with Straight Fitting, Series Test 10	SMK10 Type G	B30
Test Coupling SMK for 24° Cone Fittings, Series Test 10	SMK10 Type K	B31
Test Coupling SMK with Port Connection, Series Test 15	SMK15	B17

Product Description	Code	Page
Test Coupling SMK complete with Straight Fitting, Series Test 15	SMK15 Type G	B18
Test Coupling SMK for 24° Cone Fittings, Series Test 15	SMK15 Type K	B19
Test Coupling SMK with Port Connection, Series Test 20	SMK20	B5
Test Coupling SMK complete with Straight Fitting, Series Test 20	SMK20 Type G	B6
Test Coupling SMK for 24° Cone Fittings, Series Test 20	SMK20 Type K	B7
Test Coupling SMK-ORFS Connection, Series Test 20	SMK20 Type ORFS	B9
Test Coupling SMK-JIC Connection (to SAE-J514), Series Test 20	SMK20-JIC Type G	B8
Test Coupling SMK-JIC Connection (to SAE-J514), Series Test 20	SMK20-JIC Type K	B8
Test Hose	SMS / SGS	B37
Pressure Gauge	SPG	B34
Thread Adaptor SRS	SRS15	B33
Thread Adaptor SRS	SRS20	B32
Bulkhead Test Coupling, Series Test 15	SSK15	B20
Bulkhead Test Coupling, Series Test 20	SSK20	B10
Bulkhead Test Coupling, Series Test 12	SSKK12	B26
Hose Connector	SSV	B44

Filtration Technology

Product Description	Code	Page
Bypass Lube-Oil Filter	BPLS	C172
Bypass Filter	BPS	C167
Visual Clogging Indicator	CI	C121
Visual Clogging Indicator for Spin-On Filters	CI	C147
Electrical Clogging Indicator	EPS	C121
Electrical Clogging Indicator for Spin-On Filters	EPS	C147
Electrical Clogging Indicator for Spin-On Filters	EVS	C147
Visual Clogging Indicator for Spin-On Filters	GV	C147
Clogging Indicators for Medium and High Pressure Filters	HI	C40
Clogging Indicators for Medium Pressure Filters	HIM	C49
Valves for Medium and High Pressure Filters	HV	C39
Offline Filters	OLS	C151
Heated Offline Filter	OLSH	C163
Water Absorbing Offline Filter	OLSW	C157
Replacement Filter Element for Return Line Filters	RA	C118
Replacement Filter Elements for Return Line Filters	RE	C63
Air Filter Element for Return Line Filters	RE	C95
Replacement Filter Element for Return Line Filters	REA	C88
Replacement Filter Elements for Return Line Filters	REL	C69
Return-Line Filter for Tank-Top Mounting	RF	C71
Return-Line Filter for Tank-Top Mounting	RFA	C79
Return-Line Filter for Tank-Top Mounting	RFB	C85
Return-Line Filter for Tank-Top Mounting	RFS	C91
Replacement Filter Element for Return Line Filters	RTE10	C102
Replacement Filter Element for Return Line Filters	RTE20	C106
Replacement Filter Element for Return Line Filters	RTE25	C102
Replacement Filter Element for Return Line Filters	RTE47	C110
Replacement Filter Element for Return Line Filters	RTE48	C110
Replacement Filter Element for Return Line Filters	RTE49	C110
Replacement Filter Element for Return Line Filters	RTE58	C114
Replacement Filter Element for Return Line Filters	RTE59	C114
Air Filter Element for Return Line Filters	RTEA20	C106
Return-Line Filter for Tank-Top Mounting	RTF10	C99
Return-Line Filter for Tank-Top Mounting	RTF20	C103
Return-Line Filter for Tank-Top Mounting	RTF25	C99
Return-Line Filter for Tank-Top Mounting	RTF47	C107
Return-Line Filter for Tank-Top Mounting	RTF48	C107
Return-Line Filter for Tank-Top Mounting	RTF49	C107
Return-Line Filter for Tank-Top Mounting	RTF58	C111
Return-Line Filter for Tank-Top Mounting	RTF59	C111
Return-Line Filter for In-Tank Mounting	RTF-N	C115
Spin-On Filter Head for In-Line Assembly	SAF	C125
Mobile Filter System	SCFC	C178
Replacement Filter Elements for High Pressure Filters	SE	C41
High Pressure Filters for In-Line Assembly	SF	C19
Spin-On Replacement Filter Element	SF63	C141
Spin-On Replacement Filter Element	SF65	C142
Spin-On Replacement Filter Element	SF67	C143
Medium Pressure Filters for In-Line Assembly	SFA	C35
Spin-On Replacement Filter Element	SFC	C139
Spin-On Replacement Filter Element	SFCT	C139
High Pressure Filters for Manifold Mounting	SF-SM	C27
High Pressure Filters for Manifold Mounting	SF-TM	C23
High Pressure Filters for Sandwich Plate Mounting	SFZ	C31
Electrical Clogging Indicator	SIE	C121
Electrical Clogging Indicator for Spin-On Filters	SIE	C147
Visual Clogging Indicator	SIM	C121
Visual Clogging Indicator for Spin-On Filters	SIM	C147
Visual Clogging Indicator for Spin-On Filters	SIS	C147
Spin-On Filter Head for In-Line Assembly	SLF	C124
Replacement Filter Elements for Medium Pressure Filters	SME	C45
Mobile Filter System	SMFS-P	C178
Mobile Filter System	SMFS-U	C178
Medium Pressure Filters for In-Line Assembly	SMPF	C45
Mini Water Vac	SMWV	C174
Mobile Filter System	SPFC	C178
Return Line Filters - Duplex Housing	SRFL-D	C51
Return Line Filters - Simplex Housing	SRFL-S	C51
Return Line Filters for Industrial Water - Simplex Housing	SRFL-SW	C65
Replacement Filter Element for Offline and Bypass Filters	SRM	C176
Spin-On Filter Head for In-Line Assembly	SSF	C127
Spin-On Filter Head for Tank-Top Mounting	SSFT	C135

Diagtronics

Product Description	Code	Page
Bottle Sampler Unit	LasPaC II-Bottle Sampler	D49
Laser Particle Counter (Inline)	LasPaC II-I	D46
Laser Particle Counter (Inline, ATEX2)	LasPaC II-I-ATEX2	D48
Laser Particle Counter (Mobile)	LasPaC II-M	D44
Laser Particle Counter (Portable)	LasPaC II-P	D42
Particle Monitor	LPM II	D52
Particle Monitor (ATEX2)	LPM II-ATEX2	D55
Flow Control Valve	LPM II-DAV	D54
Particle Monitor with Ethernet Interface	LPM II-ETH INTERFACE	D53
Remote Display Unit	LPM II-REMOTE DISPLAY	D53
Particle Monitor with USB Interface	LPM II-USB	D53
Complete System (analogue)	PPC-04/06/08-plus-SET	D34
Pressure Sensor	PPC-04/12-P	D22
Pressure / Temperature Sensor	PPC-04/12-PT	D26
Rotational Speed Sensor	PPC-04/12-SDS-CAB	D30
Flow Turbine	PPC-04/12-SFM	D28
Temperature Sensor	PPC-04/12-T	D24
Complete System (CAN)	PPC-04-CAN-SET	D35
Hydraulic Tester	PPC-04-plus	D16
Hydraulic Tester	PPC-04-plus-CAN	D16
Hydraulic Tester	PPC-06/08-plus	D17
Current / Voltage Adaptor	PPC-06/12-A/V-A	D31
CAN Frequency Converter	PPC-CAN-FR	D33
Pressure Sensor	PPC-CAN-P	D23
Pressure / Temperature Sensor	PPC-CAN-PT	D27
Flow Turbine	PPC-CAN-SFM	D28
Temperature Sensor	PPC-CAN-T	D25
Hydraulic Tester	PPC-Pad	D18
Complete System (PPC-Pad)	PPC-Pad-SET	D36
Pressure Transmitter	PT	D68
Flow Indicator	SDM	D82
Flow Indicator	SDMKR	D82
Flowtell Inline Flow Meter	SFF	D81
Oil Sampling Kit	SFSK-1/ -2	D56
Flow Monitoring Unit	SGF	D84
Flow Monitoring Unit	SGFE	D84
Flow Monitoring Unit (Aluminium)	SGFE	D90
Level-Temperature Switch	SLTS	D59
Level-Temperature Switch (Aluminium)	SLTSA	D60
Level-Temperature Switch with Display	SLTSD	D61
Pressure Test Kit (analogue)	SMB	D8
Pressure Test Kit (digital)	SMB-DIGI	D11
Pressure Gauge (analogue)	SPG	D6
Pressure Gauge (digital)	SPG-DIGI	D10
Pressure Transmitter	SPT	D64
Pressure Switch	SPW	D62
Pressure Switch / Transmitter	SPWF	D72
Pressure Switch	SPW-SD	D63
Temperature Transmitter	STC	D78
Flow Monitoring Unit	STD	D84
Flow Monitoring Unit with Display	STD 1 / 2 / 3 / 4	D93
Temperature Switch	STW	D80
Temperature Switch / Transmitter	STWE	D76

Hydraulic Accessories

Product Description	Code	Page
Adaptor Plate for use with Desiccant Air Breather	AP	E33
Side Mount Bracket (Polyamide) for use with Filler Breather	ASMB-1	E24
Side Mount Bracket (Aluminium) for use with Filler Breather	ASMB-2	E24
Extended Bayonet Flange for use with Filler Breather	EBF-1	E25
Extended Bayonet Flange for use with Filler Breather	EBF-2	E25
Visual Contamination Indicator for use with Adaptor Plate	FM	E33
Pipe, Tube and Hose Cleaning System (STAUFF Clean)	SC	E38
Desiccant Air Breather	SDB	E30
Desiccant Air Breather with Check Valves	SDB-CV	E32
Anti-Drain Valve for use with Level Gauge	SDV-SNA/SNK	E11
Plastic Filler Breather (Screw-In Version)	SES-1	E26
Plastic Filler Breather (Welded Version)	SES-2	E26
Giant Air Breather	SGB	E28
Metal Filler Breather (Bayonet Version)	SMBB-47	E19
Metal Filler Breather (Bayonet Version)	SMBB-80	E21
Lockable Metal Filler Breather (Clamping, Threaded and Push-On Version)	SMBL	E23
Metal Filler Breather (Push-On Version)	SMBP-80	E22
Metal Filler Breather (Screw-In Version)	SMBT-47	E18
Metal Filler Breather (Screw-In Version)	SMBT-80	E20
Level Gauge	SNA	E4
Level Gauge	SNK	E6
Level Gauge (Compact Design)	SNKK	E7
Plastic Filler Breather (Screw-In Version)	SPB 1	E12
Plastic Filler Breather (Screw-In Version)	SPB 2	E12
Plastic Filler Breather (Screw-In Version)	SPB 3	E12
Plastic Filler Breather (Flange Version)	SPB 4	E13
Plastic Filler Breather (Flange Version)	SPB 5	E13
Plastic Filler Breather (Compact Design, Screw-In Version)	SPBN	E16
Plastic Filler Breather (Compact Design, Bayonet Version)	SPBN	E16
Return Line Bushing	SRF	E37
Diffuser	SRV	E36
Suction Strainer	SUS	E34
Desiccant Air Breather Economy Version)	SVDB	E31
Dial Thermometer with Probe for use with Level Gauge	T1 / T2	E8
Breather Adaptor	TBA	E29
Oil Demister for use with Desiccant Air Breather	TBA-OD	E33
Thermo Switch for use with Level Gauge	TS-SNA/SNK	E8
Temperature Sensor for use with Level Gauge	TS-SNA/SNK-PT100	E9
Signal Converter for use with Temperature Sensor	TS-SNA/SNK-PT100-C	E10
Temperature Sensor with Direct Installation Set	TS-SNA/SNK-PT100-D	E9
Display / Evaluation Unit for use with Temperature Sensor	TS-SNA/SNK-PT100-T	E10
Weld Riser for use with Filler Breather	WR	E25

Valves

Product Description	Code	Page	Product Description	Code	Page
High-Pressure Block Body Ball Valve (Two-Way) - Female NPT Thread	BBV20	F5	High-Pressure Forged Body Ball Valve (Two-Way) - O-Ring Face Seal Connection - Male Thread	FBV2B	F10
High-Pressure Block Body Ball Valve (Two-Way) - Female UN/UNF Thread	BBV21	F6	High-Pressure Forged Body Ball Valve (Two-Way) - 24° Cone Connection - Light / Heavy Series	FBV2DN	F11
High-Pressure Block Body Ball Valve (Two-Way) - SAE Split Flange Connection (3000 / 6000 PSI)	BBV22/23	F15	High-Pressure Forged Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)	FBV2E/2S	F25
High-Pressure Block Body Ball Valve (Two-Way) - Manifold Mounting	BBV25	F41	High-Pressure Forged Body Ball Valve (Two-Way) - Female BSP Thread	FBV2G	F9
High-Pressure Round Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)	BBV27/28	F29	High-Pressure Forged Body Ball Valve (Two-Way) - SAE Split Flange Connection / SAE Flange Connection (3000 / 6000 PSI)	FBV2H/2T	F21
High-Pressure Round Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)	BBV29	F27	High-Pressure Block Body Ball Valve (Two-Way) up to 800 bar / 12000 PSI - Female NPT Thread	HBV20	F13
High-Pressure Block Body Ball Valve (Two-Way) - O-Ring Face Seal Connection - Male Thread	BBV2B	F6	High-Pressure Block Body Ball Valve (Two-Way) up to 800 bar / 12000 PSI - 24° Cone Connection - Heavy Series	HBV2DN	F13
High-Pressure Round Body Ball Valve (Two-Way) - CETOP Flange Connection	BBV2D	F33	High-Pressure Forged Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)	KHZ	F37
High-Pressure Block Body Ball Valve (Two-Way) - 24° Cone Connection - Light / Heavy Series	BBV2DN	F7	High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female NPT Thread	LBV30	F65
High-Pressure Block Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)	BBV2E/2S	F23	High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female UN/UNF Thread	LBV31	F66
High-Pressure Block Body Ball Valve (Two-Way) - Female BSP Thread	BBV2G	F5	High-Pressure Block Body Ball Valve (Three-Way, L-bore) - 24° Cone Connection - Light / Heavy Series	LBV3DN	F67
High-Pressure Block Body Ball Valve (Two-Way) - SAE Split Flange Connection / SAE Flange Connection (3000 / 6000 PSI)	BBV2H/2T	F19	High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female BSP Thread	LBV3G	F65
High-Pressure Round Body Ball Valve (Two-Way) - ISO Flange Connection	BBV2Y	F35	Locking Device	LD	F93
High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Manifold Mounting	BBV35	F43	Limit Switches	LS	F96
High-Pressure Round Body Ball Valve (Two-Way) - Flange Connection and Butt Weld Ends	BBVF	F31	Ball Valves with Assembly Threads	PM	F97
High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Manifold Mounting	BBVS35	F45	Pressure Compensated Throttle and Shut-Off Valve (In-Line Assembly)	PNDRV	F85
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female NPT Thread	CBVL30	F47	Proximity Switches	PX	F96
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female UN/UNF Thread	CBVL31	F48	Check Valve (In-Line Assembly)	RV	F86
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - SAE Flange Connection (6000 PSI)	CBVL38	F55	Check Valve (In-Line Assembly)	RVM	F87
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - 24° Cone Connection - Light / Heavy Series	CBVL3DN	F49	Ball Valves with Assembly Holes	SMH	F97
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female BSP Thread	CBVL3G	F47	Gauge Isolator Needle Valve (Single Station)	SWS-A1	F91
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female NPT Thread	CBVSL30	F57	Gauge Isolator Needle Valve (Single Station)	SWS-A2	F91
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female UN/UNF Thread	CBVSL31	F58	Gauge Isolator Valve (Multi Station)	SWS-M	F90
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female BSP Thread	CBVSL3G	F57	Gauge Isolator Valve (Single Station)	SWS-S1	F90
Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) - 24° Cone Connection - Light / Heavy Series	CBVSLDN	F59	High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female NPT Thread	TBV30	F69
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female NPT Thread	CBVST0	F61	High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female UN/UNF Thread	TBV31	F70
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female UN/UNF Thread	CBVST31	F62	High-Pressure Block Body Ball Valve (Three-Way, T-bore) - 24° Cone Connection - Light / Heavy Series	TBV3DN	F71
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - 24° Cone Connection - Light / Heavy Series	CBVST3DN	F63	High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female BSP Thread	TBV3G	F69
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female BSP Thread	CBVST3G	F61	High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female NPT Thread	TBV40	F73
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female NPT Thread	CBVT30	F51	High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female UN/UNF Thread	TBV41	F74
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female UN/UNF Thread	CBVT31	F52	High-Pressure Block Body Ball Valve (Four-Way, T-bore) - 24° Cone Connection - Light / Heavy Series	TBV4DN	F75
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - 24° Cone Connection - Light / Heavy Series	CBVT3DN	F53	High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female BSP Thread	TBV4G	F73
Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female BSP Thread	CBVT3G	F51	High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female NPT Thread	XBV40	F77
Flow Control Valve (In-Line Assembly)	DRV	F81	High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female UN/UNF Thread	XBV41	F78
Flow Control Valve (Manifold Assembly)	DRVP	F83	High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - 24° Cone Connection - Light / Heavy Series	XBV4DN	F79
Ball Valves with Detents	DT	F97	High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female BSP Thread	XBV4G	F77
Throttle and Shut-Off Valve (In-Line Assembly)	DV	F80			
Throttle and Shut-Off Valve (Cartridge Assembly)	DVE	F84			
Throttle and Shut-Off Valve (Manifold Assembly)	DVP	F82			
Double-Acting Pneumatic Actuator	EDA	F96			
Single-Acting Pneumatic Actuator	ESA	F96			
High-Pressure Forged Body Ball Valve (Two-Way) - Female NPT Thread	FBV20	F9			
High-Pressure Forged Body Ball Valve (Two-Way) - Female UN/UNF Thread	FBV21	F10			
High-Pressure Forged Body Ball Valve (Two-Way) - SAE Split Flange Connection (3000 / 6000 PSI)	FBV22/23	F17			

Flanges

Product Description	Code	Page
SAE Blanking Counterflange	BAS-CP	G45
SAE Single-Part Socket Weld Counterflange	BAS-ES	G31
SAE Single-Part Socket Weld Counterflange (Flat Style)	BAS-FL-ES	G33
SAE Single-Part Screw-in BSPP Threaded Counterflange	BAS-G	G19
SAE Single-Part Screw-in NPT Threaded Counterflange	BAS-N	G21
SAE Single-Part Butt Weld Counterflange for Metric Tubes	BAS-SRE	G29
SAE Single-Part Butt Weld Counterflange for High Pressure Tubes	BAS-ST	G25
SAE Single-Part Butt Weld Counterflange for Low Pressure Tubes	BAS-STRE	G27
SAE Block - L-Connection (Connector Style)	BC-L	G55
SAE Block - T-Connection (Connector Style)	BC-T	G53
SAE Block - L-Connection (Adapter Style)	BF-L	G54
SAE Block - L-Connection / Reduction (Adapter Style)	BF-L-RED	G56
SAE Block - T-Connection (Adapter Style)	BF-T	G52
SAE 90° Single-Part Socket Weld Flange	BFX90-ES	G41
SAE 90° Single-Part Screw-in BSPP Threaded Flange	BFX90-G	G37
SAE 90° Single-Part Fitting Flange with 24° Cone Connector	BFX90-L/S	G42
SAE 90° Single-Part Screw-in NPT Threaded Flange	BFX90-N	G38
SAE 90° Single-Part Butt Weld Flange for Metric Tubes	BFX90-SRE	G40
SAE 90° Single-Part Butt Weld Flange for Low Pressure Tubes	BFX90-STC	G39
SAE Single-Part Fitting Flange with BSP 60° Cone Connector	BFX-B	G35
SAE Reducing Flange	BFX-BAS	G50
SAE Blanking Flange	BFX-CP	G44
SAE Single-Part Socket Weld Flange	BFX-ES	G30
SAE Single-Part Socket Weld Flange (Flat Style)	BFX-FL-ES	G32
SAE Single-Part Screw-in BSPP Threaded Flange	BFX-G	G18
SAE Single-Part Fitting Flange with JIC 37° Cone Connector	BFX-J	G36
SAE Single-Part Fitting Flange with 24° Cone Connector	BFX-L/S	G34
SAE Single-Part Screw-in Metric Threaded Flange	BFX-M	G23
SAE Single-Part Screw-in NPT Threaded Flange	BFX-N	G20
SAE Single-Part Butt Weld Flange for Metric Tubes	BFX-SRE	G28
SAE Single-Part Butt Weld Flange for High Pressure Tubes	BFX-ST	G24
SAE Single-Part Butt Weld Flange for Low Pressure Tubes	BFX-STRE	G26
SAE Single-Part Screw-in UN Threaded Flange	BFX-U	G22
SAE Flange Clamp	BM	G5
SAE Flange Clamp (Flat Style)	BM-FL	G7
SAE Flange Clamp with Metric Tapped Holes	BM-G	G8
SAE 90° Flange Adapter with 24° Cone Connector	CAG90-L/S	G16
SAE 90° Butt Weld Adapter	CAG90-ST	G15
SAE Blindplug	CAG-BP	G47
SAE Blindplug (High Version)	CAG-BPH	G47
SAE Flange Adapter with BSPT Thread	CAG-BSPT	G12
SAE Socket Weld Flange Adapter	CAG-ES	G11
SAE Flange Adapter with 24° Cone Connector	CAG-L/S	G14
SAE Flange Adapter with NPT Thread	CAG-NPT	G13
SAE Butt Weld Flange Adapter	CAG-ST	G10
SAE Cover Plate	CPL	G49
SAE Counterflange Adapter with BSPT Thread	CSG-BSPT	G12
SAE Socket Weld Counterflange Adapter	CSG-ES	G11
SAE Counterflange Adapter with NPT Thread	CSG-NPT	G13
SAE Butt Weld Counterflange Adapter	CSG-ST	G10
SAE Split Flange Halves	DB	G4
SAE Split Flange Halves (Flat Style)	DB-FL	G6
4-hole Screw-in BSPP Threaded Flange (Flat Style)	GP-FL-LK-G	G69
4-hole Fitting Flange with BSP 60° Cone Connector	GP-LK...-AG...#K	G71
4-hole Screw-in BSPP Threaded Flange	GP-LK...-G...#K	G72
4-hole Butt Weld Flange	GP-LK...-ST.../...#K	G70
4-hole Flange Connection with 24° Cone Connector	GP-LK-L/S	G62
SAE Sandwich Plate	SPL	G48
SAE Sandwich Plate with Female BSP Port (e.g. for Test Point)	SPL-G1/4-L	G46
3-hole 90° Screw-in BSPP Threaded Flange	WP-3-LK-G	G65
3-hole 90° Screw-in BSPP Threaded Flange (Aluminium)	WP-3-LK-G-W50	G67
3-hole 90° Flange Connection with 24° Cone Connector	WP-3-LK-L/S	G64
4-hole 90° Screw-in BSPP Threaded Flange	WP-LK-G	G66
4-hole 90° Screw-in BSPP Threaded Flange (Aluminium)	WP-LK-G-W50	G68
4-hole 90° Flange Connection with 24° Cone Connector	WP-LK-L/S	G63

0-9

3-hole 90° Flange Connection with 24° Cone Connector
 3-hole 90° Screw-in BSPP Threaded Flange
 3-hole 90° Screw-in BSPP Threaded Flange (Aluminium)
 4-hole 90° Flange Connection with 24° Cone Connector
 4-hole 90° Screw-in BSPP Threaded Flange
 4-hole 90° Screw-in BSPP Threaded Flange (Aluminium)
 4-hole Butt Weld Flange
 4-hole Fitting Flange with BSP 60° Cone Connector
 4-hole Flange Connection with 24° Cone Connector
 4-hole Screw-in BSPP Threaded Flange
 4-hole Screw-in BSPP Threaded Flange (Flat Style)

A

Adaptor Plate for use with Desiccant Air Breather
 Adaptor, Series Test 12
 Adaptor, Series Test 15
 Adaptor, Series Test 20
 Adjustable Gauge Fitting
 Air Filter Element for Return Line Filters
 Angled Weld Plate (Standard Series)
 Anti-Drain Valve for use with Level Gauge

B

Ball Valves for Gas Applications
 Ball Valves for Isocyanates
 Ball Valves for Paints and Lacquers
 Ball Valves with Assembly Holes
 Ball Valves with Assembly Threads
 Ball Valves with Detents
 Ball Valves with Fire-Safe Approval
 Bottle Sampler Unit
 Breather Adaptor
 Bridge Weld Plate (Standard Series)
 Bulkhead Test Coupling, Series Test 12
 Bulkhead Test Coupling, Series Test 15
 Bulkhead Test Coupling, Series Test 20
 Bypass Filter
 Bypass Lube-Oil Filter

C

CAN Frequency Converter
 Channel Rail
 Channel Rail Adaptor (Heavy Series)
 Channel Rail Adaptor (Heavy Twin Series)
 Channel Rail Adaptor (Standard Series)
 Channel Rail Adaptor (Twin Series)
 Check Valve (In-Line Assembly)
 Clamp Assemblies (Heavy Series)
 Clamp Assemblies (Heavy Twin Series)
 Clamp Assemblies (Standard Series)
 Clamp Assemblies (Twin Series)
 Clamp Body (Agriculture Twin Series) - Profiled Inside Surface
 Clamp Body (Compact Twin Series) - Profiled Inside Surface
 Clamp Body (Heavy Series) - Profiled Inside Surface
 Clamp Body (Heavy Series) - Smooth Inside Surface
 Clamp Body (Heavy Series) - with Rubber Insert
 Clamp Body (Heavy Series)
 Clamp Body (Heavy Twin Series) - Profiled Inside Surface
 Clamp Body (Heavy Twin Series) - with Rubber Insert
 Clamp Body (Light Series, Type LB) - Single Design
 Clamp Body (Light Series, Type LBBU) - Single Design
 Clamp Body (Light Series, Type LBBU) - Twin Design
 Clamp Body (Light Series, Type LBG) - Twin Design
 Clamp Body (Light Series, Type LBU) - Twin Design
 Clamp Body (Light Series, Type LN) - Single Design
 Clamp Body (Light Series, Type LNGF) - Twin Design
 Clamp Body (Light Series, Type LNUF) - Twin Design
 Clamp Body (Standard Series) - Compact Design
 Clamp Body (Standard Series) - Oval Design
 Clamp Body (Standard Series) - Profiled Inside Surface
 Clamp Body (Standard Series) - Rectangular Design
 Clamp Body (Standard Series) - Smooth Inside Surface
 Clamp Body (Standard Series) - with Rubber Insert

C

G64 Clamp Body (Standard Series) A6
 G65 Clamp Body (Twin Series) - Profiled Inside Surface A40
 G67 Clamp Body (Twin Series) - Smooth Inside Surface A40
 G63 Clamp Body (Twin Series) A40
 G66 Clamp Body for Multi-Group Weld Plate (Standard Series) A13
 G68 Clamps for Cylinder Supply Lines A55
 G70 Clogging Indicators for Medium and High Pressure Filters C40
 G71 Clogging Indicators for Medium Pressure Filters C49
 G62 Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) -
 G72 24° Cone Connection F49, F59
 G69 Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) -
 Female BSP Thread F47, F57
 Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) -
 Female NPT Thread F47, F57
 E33 Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) -
 B27 Female UN/UNF Thread F48, F58
 B21 Compact High-Pressure Block Body Ball Valve (Three-Way, L-bore) -
 B11 SAE Flange Connection (6000 PSI) F55
 B34 Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) -
 C95, C106 24° Cone Connection F53, F63
 A12 Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) -
 E11 Female BSP Thread F51, F61
 Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) -
 Female NPT Thread F51, F61
 Compact High-Pressure Block Body Ball Valve (Three-Way, T-bore) -
 F102 Female UN/UNF Thread F52, F62
 F102 Complete System (analogue) D34
 F102 Complete System (CAN) D35
 F97 Complete System (PPC-Pad) D36
 F97 Construction Series A66
 F97 Construction Series (for Anchor Bolt Fastening) A67
 F103 Cover Plate (Compact Twin Series) A54
 D49 Cover Plate (Heavy Twin Series) A51
 E29 Cover Plate (Light Series, Type LBBU) A61
 A12 Cover Plate (Light Series, Type LNGF/LNUF) - Twin Design A65
 B26 Cover Plate (Standard Series) A16
 B20 Cover Plate (Twin Series) A44
 B10 Cover Plate for Double Clamps (Heavy Series) A32
 C167 Cover Plate for Single Clamps (Heavy Series) A32
 C172 Current / Voltage Adaptor D31
 Cushion Clamp Series A82
 Custom-Designed Clamps A56

D

D33
 A83
 A31 Desiccant Air Breather E30
 A52 Desiccant Air Breather Economy Version E31
 A15 Desiccant Air Breather with Check Valves E32
 A43 Dial Thermometer with Probe for use with Level Gauge E8
 F86 Differential Pressure Gauge for Return Line Filters C69
 A36 Differential Pressure Switch with Visual Gauge Indicator for Return Line Filters C63
 A53 Diffuser E36
 A20 Direct Gauge Adaptor, Series Test 12 B27
 A48 Direct Gauge Adaptor, Series Test 15 B21
 A54 Direct Gauge Adaptor, Series Test 20 B11
 A54 Display / Evaluation Unit for use with Temperature Sensor E10
 A24 Double-Acting Pneumatic Actuator F96

E

A50 Electrical Clogging Indicator C121
 A50 Electrical Clogging Indicator for Spin-On Filters C147
 A62 Elongated Weld Plate (Standard Series) A10
 A58 Elongated Weld Plate for Double Clamps (Heavy Series) A29
 A59 Elongated Weld Plate for Single Clamps (Heavy Series) A29
 A63 Extended Bayonet Flange for use with Filler Breather E25

E

A65
 A65 Flat Steel U-Bolt with Plastic Pipe Saddle (Short) and U-Profile A68
 A9 Flow Control Valve D54
 A9 Flow Control Valve (In-Line Assembly) F81
 A6 Flow Control Valve (Manifold Assembly) F83
 A9 Flow Indicator D82
 A7 Flow Monitoring Unit D84
 A8 Flow Monitoring Unit (Aluminium) D90
 Flow Monitoring Unit with Display D93
 Flow Turbine D28
 Flowtell Inline Flow Meter D81

G

Gauge adaptor BSP-thread, 90° elbow, Hose End
 Gauge adaptor BSP-thread, Hose End
 Gauge adaptor NPT-thread, 90° elbow, Hose End
 Gauge adaptor NPT-thread, Hose End
 Gauge Adaptor, Series Test 10
 Gauge Adaptor, Series Test 12
 Gauge Adaptor, Series Test 15
 Gauge Adaptor, Series Test 20
 Gauge Isolator Needle Valve (Single Station)
 Gauge Isolator Valve (Multi Station)
 Gauge Isolator Valve (Single Station)
 Giant Air Breather
 Group Weld Plate (Standard Series)
 Group Weld Plate (Twin Series)

H

Heated Offline Filter
 Heavy Saddles - Double-Ended Design
 Heavy Saddles - Single-Ended Design
 Hexagon Head Bolt (Compact Twin Series)
 Hexagon Head Bolt (Heavy Series)
 Hexagon Head Bolt (Heavy Twin Series)
 Hexagon Head Bolt (Light Series, Type LBBU)
 Hexagon Head Bolt (Standard Series)
 Hexagon Head Bolt (Twin Series)
 Hexagon Rail Nut (Standard Series)
 Hexagon Rail Nut (Twin Series)
 High Pressure Filters for In-Line Assembly
 High Pressure Filters for Manifold Mounting
 High Pressure Filters for Sandwich Plate Mounting
 Highest-Pressure Ball Valves
 High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female BSP Thread
 High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female NPT Thread
 High-Pressure Block Body Ball Valve (Four-Way, double-L-bore) - Female UN/UNF Thread
 High-Pressure Block Body Ball Valve (Four-Way, T-bore) - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female BSP Thread
 High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female NPT Thread
 High-Pressure Block Body Ball Valve (Four-Way, T-bore) - Female UN/UNF Thread
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female BSP Thread
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female NPT Thread
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Female UN/UNF Thread
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Manifold Mounting
 High-Pressure Block Body Ball Valve (Three-Way, L-bore) - Manifold Mounting
 High-Pressure Block Body Ball Valve (Three-Way, T-bore) - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female BSP Thread
 High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female NPT Thread
 High-Pressure Block Body Ball Valve (Three-Way, T-bore) - Female UN/UNF Thread
 High-Pressure Block Body Ball Valve (Two-Way) - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Two-Way) - Female BSP Thread
 High-Pressure Block Body Ball Valve (Two-Way) - Female NPT Thread
 High-Pressure Block Body Ball Valve (Two-Way) - Female UN/UNF Thread
 High-Pressure Block Body Ball Valve (Two-Way) - Manifold Mounting
 High-Pressure Block Body Ball Valve (Two-Way) - O-Ring Face Seal Connection - Male Thread
 High-Pressure Block Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)
 High-Pressure Block Body Ball Valve (Two-Way) - SAE Split Flange Connection (3000 / 6000 PSI)
 High-Pressure Block Body Ball Valve (Two-Way) - SAE Split Flange Connection / SAE Flange Connection (3000 / 6000 PSI)
 High-Pressure Block Body Ball Valve (Two-Way) up to 800 bar / 12000 PSI - 24° Cone Connection
 High-Pressure Block Body Ball Valve (Two-Way) up to 800 bar / 12000 PSI - Female NPT Thread
 High-Pressure Forged Body Ball Valve (Two-Way) - 24° Cone Connection
 High-Pressure Forged Body Ball Valve (Two-Way) - Female BSP Thread
 High-Pressure Forged Body Ball Valve (Two-Way) - Female NPT Thread
 High-Pressure Forged Body Ball Valve (Two-Way) - Female UN/UNF Thread
 High-Pressure Forged Body Ball Valve (Two-Way) - O-Ring Face Seal Connection - Male Thread
 High-Pressure Forged Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)
 High-Pressure Forged Body Ball Valve (Two-Way) - SAE Flange Connection (3000 / 6000 PSI)

B39 High-Pressure Forged Body Ball Valve (Two-Way) -
 B38 SAE Split Flange Connection (3000 / 6000 PSI) F17
 B39 High-Pressure Forged Body Ball Valve (Two-Way) -
 B39 SAE Split Flange Connection / SAE Flange Connection (3000 / 6000 PSI) F21
 B29 High-Pressure Round Body Ball Valve (Two-Way) -
 B27 Flange Connection and Butt Weld Ends F31
 B21 High-Pressure Round Body Ball Valve (Two-Way) -
 B11 CETOP Flange Connection F33
 F91 High-Pressure Round Body Ball Valve (Two-Way) -
 F90 ISO Flange Connection F35
 F90 High-Pressure Round Body Ball Valve (Two-Way) -
 E28 SAE Flange Connection (3000 / 6000 PSI) F27
 A11 High-Pressure Round Body Ball Valve (Two-Way) -
 A41 SAE Flange Connection (3000 / 6000 PSI) F29
 High-Temperature Ball Valves F101
 Hose Connector B44
 Hose End with integrated check valve, Hose End B43
 C163 Hydraulic Tester D16, D17, D18
 A79
 A78
 A54

I

A33 Insert (Standard Series) A18
 A52 Insert (Standard Series) A18

L

A14 Laser Particle Counter (Inline) D46
 A42 Laser Particle Counter (Inline, ATEX2) D48
 C19 Laser Particle Counter (Mobile) D44
 C23, C27 Laser Particle Counter (Portable) D42
 C31 Level Gauge E4, E6
 F100 Level Gauge (Compact Design) E7
 F79 Level-Temperature Switch D59
 F77 Level-Temperature Switch (Aluminium) D60
 F77 Level-Temperature Switch with Display D61
 F78 Levers F92
 F75 Light Saddles - Double-Ended Design A81
 F73 Light Saddles - Single-Ended Design A80
 F73 Limit Switches F96
 F74 Lockable Metal Filler Breather (Clamping, Threaded and Push-On Version) E23
 F67 Locking Device F93
 F65
 F65
 F66

M

F43 Male thread according to DIN 3852-B, Hose End B40
 F45 Male thread according to SAE J 514, Hose End B41
 F71 Male thread for 24° cone fitting according to ISO 8434-1 / DIN 2353, Hose End B41
 F69 Male thread NPT according to ANSI Standard, Hose End B40
 F69 Medium Pressure Filters for In-Line Assembly C35, C45
 F70 Metal Filler Breather (Bayonet Version) E19
 F7 Metal Filler Breather (Bayonet Version) E21
 F5 Metal Filler Breather (Push-On Version) E22
 F5 Metal Filler Breather (Screw-In Version) E18
 F6 Metal Filler Breather (Screw-In Version) E20
 F41 Metal Pipe Clamp with Rounded Ends A76
 Mini Water Vac C174
 F6 Mobile Filter System C178
 Mounting Rail (Heavy Series) A30
 F23 Mounting Rail (Heavy Twin Series) A52
 Mounting Rail (Standard Series) A14
 F15 Mounting Rail (Twin Series) A42
 Mounting Rail Nut (Heavy Series) A30
 F19 Mounting Rail Nut (Heavy Twin Series) A52
 Multi-Group Weld Plate (Standard Series) A13

O

F13
 F11 Offline Filters C151
 F9 Oil Demister for use with Desiccant Air Breather E33
 F9 Oil Sampling Kit D56
 F10

F10

F25

F37

P

Particle Monitor
 Particle Monitor (ATEX2)
 Particle Monitor with Ethernet Interface
 Particle Monitor with USB Interface
 Pipe, Tube and Hose Cleaning System (STAUFF Clean)
 Plastic Filler Breather (Compact Design, Bayonet Version)
 Plastic Filler Breather (Compact Design, Screw-In Version)
 Plastic Filler Breather (Flange Version)
 Plastic Filler Breather (Screw-In Version)
 Plastic Filler Breather (Welded Version)
 Pressure / Temperature Sensor
 Pressure Compensated Throttle and Shut-Off Valve (In-Line Assembly)
 Pressure Gauge
 Pressure Gauge (analogue)
 Pressure Gauge (digital)
 Pressure Sensor
 Pressure Switch
 Pressure Switch / Transmitter
 Pressure Test Kit
 Pressure Test Kit (analogue)
 Pressure Test Kit (digital)
 Pressure Transmitter
 Proximity Switches

R

Remote Display Unit
 Replacement Filter Element for Offline and Bypass Filters
 Replacement Filter Element for Return Line Filters C88, C102, C106, C110, C114
 Replacement Filter Elements for High Pressure Filters
 Replacement Filter Elements for Medium Pressure Filters
 Replacement Filter Elements for Return Line Filters C63, C69
 Return Line Bushing E37
 Return Line Filters - Duplex Housing C51
 Return Line Filters - Simplex Housing C51
 Return Line Filters for Industrial Water - Simplex Housing
 Return-Line Filter for In-Tank Mounting C115
 Return-Line Filter for Tank-Top Mounting C71, C79, C85, C91, C99, C103, C107, C111
 Rotational Speed Sensor D30
 Round Steel U-Bolt with Plastic Pipe Saddle (Long) A72
 Round Steel U-Bolt with Plastic Pipe Saddle (Short) A70
 Round Steel U-Bolt without Plastic Pipe Saddle A74

S

SAE 90° Butt Weld Adapter G15
 SAE 90° Flange Adapter with 24° Cone Connector G16
 SAE 90° Single-Part Butt Weld Flange for Low Pressure Tubes G39
 SAE 90° Single-Part Butt Weld Flange for Metric Tubes G40
 SAE 90° Single-Part Fitting Flange with 24° Cone Connector G42
 SAE 90° Single-Part Screw-in BSPP Threaded Flange G37
 SAE 90° Single-Part Screw-in NPT Threaded Flange G38
 SAE 90° Single-Part Socket Weld Flange G41
 SAE Blanking Counterflange G45
 SAE Blanking Flange G44
 SAE Blindplug G47
 SAE Blindplug (High Version) G47
 SAE Block - L-Connection (Adapter Style) G54
 SAE Block - L-Connection (Connector Style) G55
 SAE Block - L-Connection / Reduction (Adapter Style) G56
 SAE Block - T-Connection (Adapter Style) G52
 SAE Block - T-Connection (Connector Style) G53
 SAE Butt Weld Counterflange Adapter G10
 SAE Butt Weld Flange Adapter G10
 SAE Counterflange Adapter with BSPT Thread G12
 SAE Counterflange Adapter with NPT Thread G13
 SAE Cover Plate G49
 SAE Flange Adapter with 24° Cone Connector G14
 SAE Flange Adapter with BSPT Thread G12
 SAE Flange Adapter with NPT Thread G13
 SAE Flange Clamp G5
 SAE Flange Clamp (Flat Style) G7
 SAE Flange Clamp with Metric Tapped Holes G8
 SAE Reducing Flange G50
 SAE Sandwich Plate G48
 SAE Sandwich Plate with Female BSP Port (e.g. for Test Point) G46

SAE Single-Part Butt Weld Counterflange for High Pressure Tubes G25
 SAE Single-Part Butt Weld Counterflange for Low Pressure Tubes G27
 SAE Single-Part Butt Weld Counterflange for Metric Tubes G29
 SAE Single-Part Butt Weld Flange for High Pressure Tubes G24
 SAE Single-Part Butt Weld Flange for Low Pressure Tubes G26
 SAE Single-Part Butt Weld Flange for Metric Tubes G28
 SAE Single-Part Fitting Flange with 24° Cone Connector G34
 SAE Single-Part Fitting Flange with BSP 60° Cone Connector G35
 SAE Single-Part Fitting Flange with JIC 37° Cone Connector G36
 SAE Single-Part Screw-in BSPP Threaded Counterflange G19
 SAE Single-Part Screw-in BSPP Threaded Flange G18
 SAE Single-Part Screw-in Metric Threaded Flange G23
 SAE Single-Part Screw-in NPT Threaded Counterflange G21
 SAE Single-Part Screw-in NPT Threaded Flange G20
 SAE Single-Part Screw-in UN Threaded Flange G22
 SAE Single-Part Socket Weld Counterflange G31
 SAE Single-Part Socket Weld Counterflange (Flat Style) G33
 SAE Single-Part Socket Weld Flange G30
 SAE Single-Part Socket Weld Flange (Flat Style) G32
 SAE Socket Weld Counterflange Adapter G11
 SAE Socket Weld Flange Adapter G11
 SAE Split Flange Halves G4
 SAE Split Flange Halves (Flat Style) G6
 Safety Locking Plate (Heavy Series) A35
 Safety Locking Plate (Heavy Twin Series) A52
 Safety Locking Plate (Standard Series) A19
 Safety Locking Plate (Twin Series) A46
 Safety Washer (Heavy Series) A34
 Safety Washer (Standard Series) A17
 Sampling Hose Adaptor B44
 Screw-type ORFS according to SAE J 1453, 90° elbow, Hose End B43
 Screw-type ORFS according to SAE J 1453, Hose End B43
 Seal Kits for Ball Valves F110
 Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, Hose End B40
 Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, 45° elbow, Hose End B40
 Seal with O-ring for 24° cone fitting according to ISO 8434-1 / DIN 2353, c/w swivel nut, 90° elbow, Hose End B40
 Sealing head with swivel nut according to SAE J 514, 37° cone, Hose End B42
 Sealing head with swivel nut according to SAE J 516, 37° cone, 90° elbow, Hose End B42
 Sealing head with swivel nut according to SAE J 516, 45° cone, 90° elbow, Hose End B42
 Sealing head with swivel nut according to SAE J 516, 45° cone, Hose End B42
 Sealing head with swivel nut for cone fitting according to DIN EN 560, Hose Ends B41
 Sealing head with swivel nut, 60° cone, Hose End B43
 Side Mount Bracket (Aluminium) for use with Filler Breather E24
 Side Mount Bracket (Polyamide) for use with Filler Breather E24
 Signal Converter for use with Temperature Sensor E10
 Single Weld Plate (Compact Twin Series) A54
 Single Weld Plate (Twin Series) A41
 Single-Acting Pneumatic Actuator F96
 Sleeve (Light Series, Type LBBU) A60
 Slotted Head Screw (Standard Series) A18
 Socket Cap Screw (Heavy Series) A33
 Socket Cap Screw (Heavy Twin Series) A52
 Socket Cap Screw (Standard Series) A18
 Socket Cap Screw (Twin Series) A45
 Spin-On Filter Head for In-Line Assembly C124, C125, 127
 Spin-On Filter Head for Tank-Top Mounting C135
 Spin-On Replacement Filter Element C139, C141, 142, 143
 Stacking Bolt (Heavy Series) A35
 Stacking Bolt (Heavy Twin Series) A52
 Stacking Bolt (Standard Series) A19
 Stacking Bolt (Twin Series) A47
 Standpipe for compression ring fittings according to ISO 8434-1 / DIN 2353, 90° elbow, Hose End B39
 Standpipe for compression ring fittings according to ISO 8434-1 / DIN 2353, Hose End B39
 STAUFF Test Plug in-type, Hose End B38
 STAUFF Test Screw-type, 90° elbow, suitable for test points (short wire version), Hose End B38
 STAUFF Test Screw-type, 90° elbow, suitable for test points, Hose End B38
 STAUFF Test Screw-type, suitable for test points, Hose End B38
 Suction Strainer E34
 Swivel Run Tee B9; B20; B26

T

Temperature Sensor
 Temperature Sensor for use with Level Gauge
 Temperature Sensor with Direct Installation Set
 Temperature Switch
 Temperature Switch / Transmitter
 Temperature Transmitter
 Test Coupling SKK complete with Straight Fitting, Series Test 12
 Test Coupling SKK complete with Straight Fitting, Series Test 20
 Test Coupling SKK for 24° Cone Fittings, Series Test 12
 Test Coupling SKK for 24° Cone Fittings, Series Test 20
 Test Coupling SKK with Port Connection, Series Test 12
 Test Coupling SKK with Port Connection, Series Test 20
 Test Coupling SMK complete with Straight Fitting, Series Test 10
 Test Coupling SMK complete with Straight Fitting, Series Test 15
 Test Coupling SMK complete with Straight Fitting, Series Test 20
 Test Coupling SMK for 24° Cone Fittings, Series Test 10
 Test Coupling SMK for 24° Cone Fittings, Series Test 15
 Test Coupling SMK for 24° Cone Fittings, Series Test 20
 Test Coupling SMK with Port Connection, Series Test 10
 Test Coupling SMK with Port Connection, Series Test 15
 Test Coupling SMK with Port Connection, Series Test 20
 Test Coupling SMK-JIC Connection (to SAE-J514), Series Test 20
 Test Coupling SMK-JIC Connection (to SAE-J514), Series Test 20
 Test Coupling SMK-ORFS Connection, Series Test 20
 Test Hose
 Test hose for air brake systems, Hose End
 Thermo Switch for use with Level Gauge
 Thread Adaptor SRS
 Throttle and Shut-Off Valve (Cartridge Assembly)
 Throttle and Shut-Off Valve (In-Line Assembly)
 Throttle and Shut-Off Valve (Manifold Assembly)
 Twin Weld Plate (Standard Series)

U

D24 Universal sealing head with swivel nut for 24° cone fitting according
 E9 to ISO 8434-1 / DIN 2353, 90° elbow, Hose End B41
 E9 Universal sealing head with swivel nut for 24° cone fitting according
 D80 to ISO 8434-1 / DIN 2353, Hose End B41

V

B24
 B14 Valves for Medium and High Pressure Filters C39
 B25 Visual Clogging Indicator C121
 B15 Visual Clogging Indicator for Spin-On Filters C147
 B23 Visual Contamination Indicator for use with Adaptor Plate E33
 B13
 B30

W

B6 Water Absorbing Offline Filter C157
 B31 Weld Plate (Heavy Twin Series) A51
 B19 Weld Plate (Light Series, Type LBBU) A60
 B7 Weld Plate (Standard Series) A10
 B29 Weld Plate for Double Clamps (Heavy Series) A28
 B17 Weld Plate for Single Clamps (Heavy Series) A28
 B5 Weld Riser for use with Filler Breather E25
 B8 Welding Adaptor SAS B33
 B8
 B9
 B37
 B42
 E8
 B32
 F84
 F80
 F82
 A11

General Information

The outlined particulars are approximate values and are only valid as references, which are not binding, also with regard to possible protection of third parties, and they do not exempt you from your own examination of suitability of the products delivered by us. Therefore, these values can only be used in a limited sense for construction purposes. The application of the products is carried out outside our control possibilities and, therefore, is exclusively subject to your own area of responsibility. If, however, liability should be possible, it would be limited for all damages to the value of the goods supplied by us and in use by you. It goes without saying, that we guarantee the perfect quality of our products according to our general sales and delivery conditions.

**Because of technical advances, dimensions subject to change without notification.
 This catalog supersedes all previous catalogues.**

